

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1756	717/124,127,129.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:15
L2	16	Context with sensitive with breakpoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:15
L3	9	1 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:17
L4	372	1 and (@ay="2003" @ay="2004")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:17
L5	88849	4 and overload\$4 overrid\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:18
L6	30	4 and (overload\$4 overrid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:19
L7	104605	(debug\$5 breakpoint (break adj point) halt)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/07 12:36
L8	247	(user with call) with L7	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/07 12:19
L9	67	1 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:35
L10	1218	714/47.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 12:36

EAST Search History

L11	269	10 and 7	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/07 12:36
L12	209	(debug\$5 breakpoint (break adj point)) and 10	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/07 12:36
S1	16	Context with sensitive with breakpoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 13:43
S2	35	("5375125" "5446900" "5652835" "5845125" "5860009" "5862379" "5910895" "5926176" "5953735" "5970248" "6021488").PN. OR ("6077312").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/30 16:16
S3	45	breakpoint with ((method funciton routine) near call\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:05
S4	40	S3 not Bates.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:05
S5	5	(breakpoint with ((method funciton routine) near call\$4)) with entr\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 08:28
S6	13	(breakpoint with ((method funciton routine) near call\$4)) with set\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:03
S7	408	(debug\$4 trac\$5) with parameter with call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:22
S8	23563129	S7 @ay<="2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:04

EAST Search History

S9	311	S7 and @ay<="2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:04
S10	0	S7 and Mitchell.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:06
S11	1	S7 and Mitchell.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:08
S12	2467	(David and Mitchell).xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:11
S13	12	(Jason and Mitchell).xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:14
S14	7	indicat\$4 with call with set with breakpoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:19
S15	0	insert\$3 with jump with ((data instrument\$5 trace profile) adj gather\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:26
S16	0	insert\$3 with jump with ((data instrument\$5 trace profile) adj gather\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:27
S17	22677	((data instrument\$5 trace profile) adj gather\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:27
S18	1567	insert\$3 with jump	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:27

EAST Search History

S19	11617	insert\$3 with (jump call redirect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:27
S20	5	S17 with S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 09:27
S21	13	("5093914" "5560009" "5740440" "5764989" "5778230" "5812850" "5845125" "5848274" "5854931").PN. OR ("6240545"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 10:01
S22	9	S21 and (set\$4 insert\$4) with breakpoint	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 08:40
S23	47686	(method with filter).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 10:25
S24	224	(method with filter with (instrument\$3 trace\$3)).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 10:26
S25	15153	((method with filter with (instrument\$3 trace\$3)) signature). clm.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 10:26
S26	5	((method with filter with (instrument\$3 trace\$3)) and signature).clm.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 11:07
S27	1	"7047521".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 11:07
S28	14	("5528753" "5732273" "5872909" "5996092" "6023561" "6026236" "6047390" "6164841" "6173395" "6216143" "6263488" "6351845" "6507805").PN. OR ("7047521"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 11:11
S29	3	S28 and breakpoint	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 11:14
S30	8103	breakpoint	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 11:14
S31	15946	breakpoint (break adj point)	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 11:15

EAST Search History

S32	24	(breakpoint (break adj point)) with call\$4 with entr\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 11:16
S33	16	Context with sensitive with breakpoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 13:43
S34	9	S33 not bates.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 13:43
S35	0	"607732".pn. and (((executable adj program) "42") same object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 08:23
S36	0	"607732".pn. and (((executable adj. program) "42") same2 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:03
S37	0	(breakpoint (break adj point)) with (entrypoint (entry adj point)) with (each all)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:05
S38	0	(breakpoint (break adj point)) with (entrypoint (entry adj point)) with (each all every)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:10
S39	119	(breakpoint (break adj point)) with (entrypoint (entry adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:12
S40	247	(breakpoint (break adj point) trace) with (entrypoint (entry adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:05
S41	1	(breakpoint (break adj point) trace) with (entrypoint (entry adj point)) with (each every all)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:06

EAST Search History

S42	1	"10".src. and "666033".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:08
S43	0	S42 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:09
S44	1	S42 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:11
S45	0	(breakpoint (break adj point)) with (entrypoint (entry adj point)) with ("each" "all" "every")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:10
S46	3042	each	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:11
S47	3958	all	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:11
S48	1108831	every	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:11
S49	3042	"each"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:11
S50	99	S39 and @ay<="2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:12
S51	4	("6240545" "20030106046").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:31

EAST Search History

S52	0	S51 and entry adj point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:22
S53	0	S51 and remove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:22
S54	31	bates.in. and (remov\$4 with breakpoint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:12
S55	21	bates.in. and (remov\$4 with breakpoint) and @ay<="2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:12
S56	2	bates.in. and (remov\$4 with breakpoint) and @py<="2002"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:14
S57	14	bates.in. and (remov\$4 with breakpoint) and @py<="2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:14
S58	4	("6077312" "20030106046").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:31
S59	1	S58 and (temp temporary remove) with breakpoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:32
S60	1	S58 and (temp temporary remove) with (breakpoint (break adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:33

EAST Search History

S61	21	(US-20030106046-\$ or US-20040068720-\$ or US-20040003375-\$ or US-20030188225-\$ or US-20030101431-\$ or US-20030079215-\$).did. or (US-6077312-\$ or US-5845125-\$ or US-5970248-\$ or US-7155426-\$ or US-6240545-\$ or US-6769116-\$ or US-7047521-\$ or US-5778230-\$ or US-5093914-\$ or US-6983454-\$ or US-6324683-\$ or US-6249907-\$ or US-5970245-\$).did. or (JP-08022401-\$).did. or (RD-454132-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2007/02/02 11:33
S62	6	S61 and (temp temporary remove) with (breakpoint (break adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:35
S63	703	(temp temporary remove) with (breakpoint (break adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:36
S64	441	(temp temporary) with (breakpoint (break adj point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:36
S65	5	(temp temporary) with (breakpoint (break adj point)) with remove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:38
S66	25	(temp temporary) with (breakpoint (break adj point)) with (remov\$3 clear\$3 delet\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 11:39
S67	0	"20050066313".pn. and step near into	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 08:59
S68	311484	constraint relaxation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 09:00

EAST Search History

S69	14030	(overload\$4 overrid\$5 deriv\$4) adj (function method object class)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 08:41
S70	104304	(debug\$5 (breakpoint break adj point) halt)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 08:42
S71	104304	(debug\$5 breakpoint (break adj point) halt)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 08:42
S72	14	S69 with S71	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 09:39
S73	2	("6077312" "6249907").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/29 09:01
S74	104503	(debug\$5 breakpoint (break adj point) halt)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 09:40
S75	246	(user with call) with S74	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 09:40
S76	53	(user with call with (set setting select\$4 indicat\$4)) with S74	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 09:41